

Original Tanning Lamp

Compatible Interlectric Lamp

All of our lamps comply with the federal performance standard CFR1040.20 as a registered compatible for most major brands, and we are compliant to ISO/IEC Guide 22 for Sun Tanning lamps. The CE symbol can be provided on all of our tanning lamps, to meet the European standard requirement for testing.

AUVL; X-Treme Tanning Lamp 160W/VXR (Vertical) BAUVL71/160/VR	SCR71BP/VHO/HP9/160W SR71BP/VHO/ABS/160W
AUVL; X-Treme Tanning Lamp 160W/VXR PLUS BAUVL71/160/RP	SCR71BP/VHO/HP9/160W SR71BP/VHO/ABS/160W
AUVL; X-Treme Tanning Lamp 160W/VXR - HP - BAUVL71/160/RHP	SCR71BP/VHO/HP9/160W
AUVL; X-Treme 75" 220 WATT-VXR-VERTICAL	SCR75BP/VHO/HP9/ 220W
AUVL; X-Treme Tanning Lamp 100W-XR-Plus: BAUVL71/100RP	SR71BP/HO/ABS 4.5/100W SR73HO/DAYSTAR/ABS/100W, SCR73/HO/HP9 Sun Celeste
AUVL; X-Treme Tanning Lamp, 100W-XR, BAUVL73/100R	
BRILLIANCE F59T12/BL/BP/5.0	SS59BP/X6500, SC59BP/6.5, SP/F59T12BP/6.5/P
BRILLIANCE F59T12BL/BP/8.5	SS59BP/X7500 OR SC59BP/7.5
BRILLIANCE F71T12/BP/5.0	SS71BP/X6500 OR SC71BP/6.5 OR SP/F71T12BP/6.5/P
BRILLIANCE F71T12BL/BP/6.5	SS71BP/X7500 OR SC71BP/7.5
BRILLIANCE F73T12BL/HO/6.5	SS73HO/X7500 OR SC73HO/7.5
BRILLIANCE F73T12BL/HO/8.5	SS73HO/X8500 OR SC73HO/8.5
BRILLIANCE F73T12HO/5.0	SS73HO/X6500 OR SS73HO/5.5 OR SC73HO/6.5 SP/F73T12HO/5.5/P OR SP/F73T12HO/6.5/P
COSMEDICO HI-TAN PREHEAT BI-PIN 80W	SS59/BP/PANTHER®, SS59/BP/PHOENIX®, SC59/BP/8.5, SC59/ BP/9.5, SC59/BP/PHOENIX® EXTREME SUN CELESTE
COSMEDICO HI-TAN PREHEAT BI-PIN 100W	SS71/BP/PANTHER®, SS71/BP/PHOENIX® SUPER SUN, SS/ BP/X8500 SUPER SUN, SC71/BP/PHOENIX® EXTREME SUN CELESTE
COSMEDICO HI-TAN 100W RAPID ST.73"	SS73/X8500 SUPER SUN, SS73/PHOENIX 8.9, SC73HO/8.5
COSMEDICO HI-TAN PREHEAT BI-PIN 100W	SS71 X8500, SS71 BP PHOENIX, SS71 PANTHER OR SS71 PHOENIX EXTREME OR SC71BP/8.5 OR SC71BP/9.5
COSMEDICO, GOLDARIUM S SA1-12-100W	SS71BP/X5000 OR SS71BP/3.5, SC71BP/5.0
COSMEDICO, GOLDARIUM S SA1-12-80W	SS59BP/X5000 OR SS59BP/3.5 OR SC59BP/5.0
COSMEDICO, GOLDARIUM SR SA1-15-100W	SR71BP-GEM-R
COSMOLUX S CA1-12-100W	SS71BP/ 2.6
COSMOLUX AS A1-12-80W PREHEAT BIPIN	SS59/BP/3.2
COSMOLUX A/S A1-12-100W PREHEAT BIPIN	SS71BP/3.2
COSMOLUX ESP 12600/100W R/S PREHEAT BIPIN	SS71BP/X6500 OR SC71BP/6.5 OR SP/F71T12BP/6.5/P
COSMOLUX ESP 12580/80W PREHEAT BIPIN	SP/F59T12BP/6.5/P, SC59/BP/6.5
COSMOLUX ESP/R 15602/100W	SR71/BP/HO/ABS 4.5
COSMOLUX VHR NA1-15-140W	SR59VHO Absolute Sun OR SC59BP/VHO/HP9/140W, SCR59/BP/VHO/HP9 SUN CELESTE®
COSMOLUX VHR TT 140W R/S Preheat-Bipin	SR59/BP/VHO/DAYSTAR 35N ABS, SR59/BP/VHO/ABS, SCR59/BP/VHO/HP9 SUN CELESTE®
COSMOLUX VHR NA1-15-160W	SR71VHO Absolute Sun OR SC71BP/VHO/HP9/160W
COSMOLUX VHR TT	SR71 VHO Absolute Sun OR SC71BP/VHO/HP9/160W
COSMOLUX VHR 200/1-8M 16218/200W R/S PREHEAT BIPIN	SR71/BP/VHO/DAYSTAR 35N 200WABS
COSMOLUX VHR 200 162220/180W PREHEAT BIPIN COSMEDICO	SR79/BP/VHO/ABS OR SCR79BP/VHO/HP9
COSMOLUX VHR-220/HP/LONGLAMP, 16211/220W	SCR75BP/VHO/HP9 – 220W
COSMOLUX VHR – 9K90 – 160W R/S PREHEAT BIPIN	SCR71BP/VHO/HP9/160W
COSMOLUX VHR – 9K90 – 16223/180W – 200W	SCR79BP/VHO/HP9/200W OR SR79BP/VHO/ABS
COSMEDICO COSMOLUX VLR-2M, 15220 / 120W	SR79BP/HO/DAYSTAR 120W – ABS
COSMOLUX VLR 18790/80W	SR59 Daystar Absolute Sun OR SCR59BP/HO/HP9/80W
COSMOLUX VLR 18810 / 100W	SR71 BP Daystar Absolute Sun OR SCR71BP/HO/HP9/100W
COSMOLUX VLR 9K90; 15691 100W	SCR71BP/HO/HP9/100W, SR71/BP/HO/DAYSTAR ABS
COSMOSTAR LONGLIFE 12503/100W Preheat BP	SS71BP/ 2.6
DIAMOND SUN 73/55	SS73/X6500, SC73/HO/6.5, F73T12/HO/5.5P, F73T12/HO/6.5P SR71BP/VHO/PANTHER 160W – ABS
ERGOLINE – VHP-10-160W – TURBO POWER	SR71BP/VHO/PHEONIX EXTREME 160W – ABS SCR71/BP/VHO/PHOENIX® EXTREME SUN CELESTE
ERGOLINE – VHP-12-160W – TURBO POWER	SR71BP/VHO/DAYSTAR 35 / 160W – ABS
EUROSUN S3	SS73HO/X7500 OR SS73HO/PHOENIX 8.9 OR SC73HO/7.5
EUROSUN S3 ES3-59-80W	SS59/BP/PHOENIX
EUROSUN S3 ES3-71-100W	SS71 BP/ PHOENIX 8.9
ERS SOL-SOFT AH3-24-100W	SS71/BP/X5000 OR SS71/BP/3.5 OR SS71/BP/II OR SC71BP/5.0 SUN CELESTE®



Original Tanning Lamp

Compatible Interlectric Lamp

All of our lamps comply with the federal performance standard CFR1040.20 as a registered compatible for most major brands, and we are compliant to ISO/IEC Guide 22 for Sun Tanning lamps. The CE symbol can be provided on all of our tanning lamps, to meet the European standard requirement for testing.

ERS 100W SOL 160 ASR4-20-160	SR71/BP/HO/ABS 4.5
ERS SOL-PROF ASR2-17-160W	SR71/BP/VHO/DAYSTAR 35 ABS
ERS SOL-PLUS AR4-28-100W	SR71/BP/HO/DAYSTAR OR SCR71BP/HO/HP9/100W
GENESIS VHP-15-PLUS SUPER POWER	SR71BP/HO/DAYSTAR/ABS OR SCR71BP/HO/HP9/100W
FR71-T12-HO-BP-120W/15+; 15640/249613	SR71/BP/VHO/ABS 6.5, SR71/BP/VHO/ABS, SCR71/BP/VHO/HP9
GENESIS 170 WRS-E; FR71-T12-VHO-170W	SUN CELESTE
GENESIS VHP-20-PLUS, SUPER POWER, FR71-T12-HO-BP-120W/20+	SR71BP/HO/HP20R-120W-ABS
GENESIS VHP-15 PLUS TURBO POWER	SR71BP/VHO/ABS/160W OR SCR71BP/VHO/HP9/160W,
FR71-T12-VHO-160W/15+; 16344/249513	SCR71/BP/VHO/HP9 SUN CELESTE
HAWAIIAN HAZE F73-T12-BL-HO 65	SS73HO/X6500 OR SC73HO/6.5 OR SC73HO/6.5/120W
HERAEUS ORIGINAL HANAU MAGIC SUN 20/160R 45006322	SP/F73T12HO/6.5/P
HEX 72 FASHION TAN 2000	SR71/BP/VHO/DAYSTAR 35N ABS
HEX B29 SMART LAMP, F72 VHO	SS72 VHO Paragon
HEX B29 SMART LAMP, F74 VHO	SS72 VHO PARAGON
HEX B52 F72 VHO	SS74 VHO X6500 OR SC74VHO/6.5
HI-TAN PREHEAT BP	SS72 VHO Paragon
HOLLYWOOD TANS HT71-T12-100W VS	SS71BP/ PHOENIX EXTREME 9.5
HOLLYWOOD TAN HT71-T12-160 VS-R	SC71/BP/7.5 Sun Celeste, SS71/BP/X7500
INSTANTAN 7.9 F73 VHO	SR71/BP/VHO/ABS 6.5, SR71/BP/VHO/ABS, SCR71/BP/VHO/HP9
INSTANTAN XL 7.9 F72/HO	SUN CELESTE
INSTANTAN XL 7.9 F73/HO	SS73 VHO X6500 OR SC73VHO/6.5
INTENSITY IT 71-T12-100W BP	SS72HO/X7500, SS72HO/X8500, SC72HO/7.5, SC72HO/8.5,
INTENSITY IT 71-T12-100W BP	SS72/HO/PHOENIX
INTENSITY IT 73-T12-100W-RDC	SS73HO/X8500 OR SC73HO.85
JK SOLTRON S	SS71BP/ 4.4
KALFASUN B17-S RAPID; 140W	SS71BP/ 5.5 OR SP/F71T12BP/5.5/P
KALFASUN B23-S WHITE; 80W	SS73HO/5.5 OR SP/F73T12HO/5.5/P
KALFASUN B23-S WHITE; 140W	SS71BP/ 3.2
KALFASUN B14-S RAPID, 80W	SR59BP/VHO/DAYSTAR 35 ABS
KALFASUN, B-14-S RAPID, 100W	SR59/BPO/HO/ABS 4.5, SR59/BP/HO/ABS 5.0, SR59/BP/HO/ABS
KALFASUN B17-S RAPID 160W	6.5
KALFASUN B17-L RAPID 160W	SR59BP/VHO/DAYSTAR 35 ABS
KALFASUN; B23-S WHITE: 100W	SCRBP/HP/HP9/80W, SR59/BP/HO/DAYSTAR ABS
KALFASUN; B23-S WHITE: 100W	SR71 Daystar Absolute Sun, SCR71BP/HO/HP9/100W
KALFASUN; B23-S WHITE: 100W	SR71/BP/VHO/DAYSTAR 35 ABS
KALFASUN; B23-S WHITE: 160W	SR71/BP/HO/ABS 6.5
LIGHT EMISSIONS TECHNOLOGIES RIO BRONZE – 73"	SR71/BP/HO/ABS 5.0
LIGHT EMISSIONS TECHNOLOGIES RIO-BRONZE – 71"	SR71/BP/HO/ABS 4.5
LIGHT EMISSIONS TECHNOLOGIES RIO-BRONZE-R-71"	SR71/BP/VHO/DAYSTAR 35 ABS
LIGHT EMISSIONS TECHNOLOGIES RIO-R-HO-71	SS73HO/X7500 OR SC73HO/7.5
LIGHT SOURCES BEACH SUN 6.5 F59T12-BL BP	SS71BP/X6500 OR SC71BP/6.5 OR SP/F71T12BP/6.5/P
LIGHT SOURCES BEACH SUN 6.5 F71T12/BL-BP	SR71BP/ Absolute Sun 6.5
LIGHT SOURCES BEACH SUN 6.5 F73T12-BL-HO	SR71BP/ Daystar, SCR71/BP/HO/HP9 Sun Celeste
LIGHT SOURCES BEACH SUN 6.5 FR59T12-BL BP	SS59BP/X7500, SP/F59T12BP/6.5/P, SC59/BP/6.5
LIGHT SOURCES BEACH SUN 6.5 F73T12-BL VHO	SS71BP/X6500 OR SC71BP/6.5 OR SP/F71T12BP/6.5/P, SR71/
LIGHT SOURCES BEACH SUN 6.5 FR73T12-BL-HO	BP/HO/ABS 6.5
LIGHT SOURCES BEACH SUN (7.5) F73T12-BL-VHO-73"	SS73HO/X7500 OR SC73HO/7.5
LIGHT SOURCES DUAL SUN F59T12-BL-BP	SR59BP/HO/ABS/5.0 & SR59BP/HO/ABS/ 6.5, SC
LIGHT SOURCES DUAL SUN F71T12-BL-BP	SS73/VHO/X6500, SC73/VHO/6.5
LIGHT SOURCES DUAL SUN R FR71T12-BL-BP	SR73 Absolute Sun 6.5
LIGHT SOURCES DUAL SUN XL F71T12-BL-BP	SC73VHO/8.5/160W
LIGHT SOURCES EQUATOR SUN 8.5 F59T12-BL-BP	SP/F59T12BP/6.5/P, SC59/BP/6.5
LIGHT SOURCES EQUATOR SUN 8.5 F71T12-BL BP	SS71BP/X6500, SC71BP/6.5, SP/F71T12BP/6.5/P
LIGHT SOURCES EQUATOR SUN 8.5 F73T12-BL HO	SR71 Absolute Sun 5.0
	SS59BP/X7500 OR SS59 X8500 OR
	SC59BP/7.5 OR SC59BP/8.5
	SS71BP/X7500, SS71BP/X8500
	SS73HO/X7500, SS73HO/X8500, SC73HO/7.5, SC73HO/8.5,
	SS73/X8500



Original Tanning Lamp

Compatible Interlectric Lamp

All of our lamps comply with the federal performance standard CFR1040.20 as a registered compatible for most major brands, and we are compliant to ISO/IEC Guide 22 for Sun Tanning lamps. The CE symbol can be provided on all of our tanning lamps, to meet the European standard requirement for testing.

LIGHT SOURCES EQUATOR SUN XL F73T12/BL HO	SS73HO/8500
LIGHT SOURCES EQUATOR SUN (8.5) F73t12-BL VHO	SS73VHO/X6500, SC73/VHO/6.5
LIGHT SOURCES GENESIS 120W F73-T12-HO-120W RAPID START	SS73HO/X7500 OR SS73HO/X8500 OR SS73/PHOENIX 8.9 SC73HO/7.5 OR SC73HO/8.5
LIGHT SOURCES GENESIS 120W 10189-22557 120W/F73 RS-PREHEAT-RDC	SS73HO/X8500 OR SS73HO/PHOENIX EXTREME 9.5 OR SS73HO/PANTHER 9.5 OR SC73HO/8.5 OR SC73HO/9.5, SC73HO/PHOENIX EXTREME 9.5
LIGHT SOURCES HEX B29 SMART LAMP F72 VHO	SS72/VHO/PARAGON+
LIGHT SOURCES HEX SMART LAMP F73/VHO	SR73VHO/DAYSTAR 35/ABS
LIGHT SOURCES HEX SMART LAMP II FR74/VHO/200W	SR74/VHO/ABS
LIGHT SOURCES F59T12-BL-BP/42	SS59BP/ 4.4 OR SS59BP/ 5.5 OR SP/F59T12BP/5.5/P
LIGHT SOURCES F59T12-BL-BP/6.5	SS59BP/X6500 OR SC59BP/6.5 SP/F59T12BP/6.5/P
LIGHT SOURCES F71-T12-BL/42	SS71BP/ 4.4 OR SS71BP/ 5.5 OR SP/F71T12BP/5.5/P
LIGHT SOURCES F71-T12-BL-BP/6.5	SS71BP/X6500 OR SC71BP/6.5 OR SP/F71T12BP/6.5/P
LIGHT SOURCES F72-T12-BL-H0-42	SS72HO/4.4, SS72HO/5.5
LIGHT SOURCES F72-T12-BL-VHO-8.5	SS72 VHO X8500 OR SC72VHO/8.5
LIGHT SOURCES F73T12-BL/HO/6.5	SS73HO/X6500, SC73HO/6.5, SP/F73T12HO/6.5/P
LIGHT SOURCES F73-T12-BL-HO-8.5	SS73HO/X8500 OR SC73HO/8.5
LIGHT SOURCES MIDDAY SUN 5.0 F59T12-BL BP	SS59BO/X6500, SC59BP/6.5, SP/F59T12BP/6.5/P
LIGHT SOURCES MIDDAY SUN 5.0 F71T12-BL-BP	SS71BP/X6500 OR SC71BP/6.5 OR SP/F71T12BP/6.5/P
LIGHT SOURCES MIDDAY SUN 5.0 F73T12-BL-HO	SS73HO/X6500, SC73HO/6.5, SP/F73T12HO/6.5/P
LIGHT SOURCES MIDDAY SUN 5.0 FR59T12-BL BP	SR59 Absolute Sun 5.0
LIGHT SOURCES MIDDAY SUN 5.0 FR71T12-BL-BP	SR71 Absolute Sun 5.0
LIGHT SOURCES MIDDAY SUN 5.0 F72T12-BL-VHO	SS72/VHO/X6500, SC72/VHO/6.5
LIGHT SOURCES MIDDAY SUN 5.0 FR73T12-BL-HO	SR73 Absolute Sun 7000, SR73 Absolute Sun 5.0
LIGHT SOURCES SIGNATURE SERIES LS F73/VHO	SR73 VHO Absolute Sun, SR73VHO/ABS/6.5
LIGHT SOURCES SIGNATURE SERIES FR59/HO/R	SCR59BP/HO/HP9/100W, SR59/BP/HO/DAYSTAR ABS
LIGHT SOURCES SIGNATURE SERIES LS FR59/VHO	SR59 VHO Absolute Sun
LIGHT SOURCES SIGNATURE SERIES LS FR71/VHO	SR71 VHO Absolute Sun OR SCR71BP/VHO/HP9/160W SR71BP/HO/DAYSTAR/ABS OR SCR71BP/HO/HP9/100W, SCR71/ BP/HO/HP9 Sun Celeste
LIGHT SOURCE SIGNATURE SERIES FR71/HO/R	SR73HO/DAYSTAR/ABS/100W, SCR73/HO/HP9 Sun Celeste
LIGHT SOURCES SIGNATURE SERIES FR73/HOR/RDC	SR71 Daystar Absolute Sun, SCR71/BP/HO/HP9 Sun Celeste
LIGHT SOURCES SOLAR SERIES 1 R/T FR71T12/BL/BP 70 PLUS	SS71BP/X7500 OR SC71BP/7.5
LIGHT SOURCES VIP GOLD F71/HO/SE	SS71BP/X7500 OR SC71BP/7.5
LIGHT SOURCES VIP GOLD F71/HO/ZX	SR73 Absolute Sun 6.5
LIGHT SOURCES VIP GOLD FR73/HO/ZXR	SS73HO/X7500 OR SC73HO/7.5
LIGHT SOURCES VIP GOLD SERIES F73/HO/SE	SC71BP/HO/8.5
MEGA SUN F71T12BP/8.5	SS71BP/X6500 OR SC71HO/6.5 OR SP/F71T12BP/6.5/P
MEGA VOLTAGE GOLD SERIES MV71-T12-100W BP	SS73HO/X7500 OR SC73HO/7.5
MEGA VOLTAGE GOLD SERIES MV73-T12-100W RDC	SR71 VHO Absolute Sun, SCR71/BP/VHO/HP9 SUN CELESTE
MEGA VOLTAGE GOLD SERIES MV75R-T12-160W VS-R BI-PIN	SS73HO/X7500 OR SC73HO/7.5
MEGA VOLTAGE PLUS GOLD SERIES MVP73-T12-100W RDC	SS71BP/X6500 OR SC71BP/6.5 OR SP/F71T12BP/6.5/P
MEGA VOLTAGE PLUS GOLD SERIES MVP71-T12-100W BP	SR71/BP/VHO/ABS 6.5
MEGA VOLTAGE PLUS GOLD SERIES MVP75R-T12-160W VSR BI-PIN	SS72 PANTHER, SS72 PHOENIX EXTREME, SC72/HO/9.5 SUN CELESTE®, SC72/HO/PHOENIX® EXTREME SUN CELESTE®
NATURAL SUN F72T12-BL-HO/9.5	SS71BP/X6500 OR SC71BP/6.5 OR SP/F71T12BP/6.5/P
PHILIPS CLEO ADVANTAGE F71T12TL100W	SP/F59T12BP/6.5/P
PHILIPS CLEO ADVANTAGE F59T12-TL-80W	SR71 Absolute Sun 6.5
PHILIPS CLEO ADVANTAGE F71T12TL100W-R	F40/SHOULDER LAMP SUPER SUN®
PHILIPS CLEO PERFORMANCE 40W	SC59/BP/5.0, SC59/BP/6.5
PHILIPS CLEO SWIFT F59T12 TL 80W	SS71BP/X5000 OR SS71/BP/3.5 OR SC71BP/5.0
PHILIPS CLEO SWIFT F71 T12 TL 100W	SR59/BP/VHO/DAYSTAR 35N ABS, SR59/BP/VHO/ABS, SR59/BP/ VHO/ABS 6.5
PHILIPS SWIFT XPT F59T12 TL 140W-R	SR71/BP/VHO/ABS OR SR71/BP/VHO/ABS 6.5, SCR59/BP/VHO/ HP9 Sun Celeste
PHILIPS SWIFT XPT F71 T12 TL 160W-R	SR73/VHO/ABS OR SR73VHO/ABS/6.5
PHILIPS SWIFT XPT F73T12-TL-160W-R	SR59/BP PLUS SUPER SUN®
PHILIPS R-UVA 80W	SR59/BP PLUS SUPER SUN® REFLECTOR, SS59/BP/A-RAY
PHILIPS TL 80W/09R R-UVA	SR71BP/ PLUS
PHILIPS R-UVA 100W	



Original Tanning Lamp

Compatible Interlectric Lamp

All of our lamps comply with the federal performance standard CFR1040.20 as a registered compatible for most major brands, and we are compliant to ISO/IEC Guide 22 for Sun Tanning lamps. The CE symbol can be provided on all of our tanning lamps, to meet the European standard requirement for testing.

PHILIPS TL 100W PROFESSIONAL	SR71BP-GEM-R
PHILIPS TL 100W/09N UV-A	SS71BP/ A-RAY
PHILIPS TL 100W/09R R-UVA	SR71BP/ PLUS
PLATINUM BIO-SUN II, F74T12/Z2/HO/100W	SS74 PANTHER OR SS74 PHOENIX EXTREME SC74HO/9.5 OR SC74HO/PHOENIX EXTREME
PLATINUM F74/T12/10-M/HO 100W	SS74 PANTHER OR SS74 PHOENIX EXTREME SC74HO/9.5 OR SC74HO/PHOENIX EXTREME
PROTECH INTENSIVE 1.9M DUAL R-UVA 110 WATT	SR75/BP/HO/ABS 6.5
PURETAN F71 PURETAN S+	SS71BP/X6500 OR SC71BP/6.5 OR SP/F71T12BP/6.5/P
PURETAN F59 PURETAN S+	SP/F59T12BP/6.5/P, SC59/BP/6.5
PURETAN F71T12-2.6 BP	SS71BP/3.5
PURETAN F71-T12-4.2 BPS+	SS71BP/4.4 OR SS71BP/5.5 OR SP/F71T12BP/5.5/P
PURETAN F73 S+	SS73HO/5.5 OR SS73HO/X6500 OR SC73HO/6.5 SP/F73T12HO/5.5/P OR SP/F73T12HO/6.5/P
PURETAN FR59 SPECTRALARIUM VHO/R+	SR59BP/VHO/ABS/140W, SCR59/BP/VHO/HP9
PURETAN FR71 SPECTRALARIUM R+	SR71 Absolute Sun 6.5
PURETAN FR71 SPECTRALARIUM VHO/R+	SR71 VHO Absolute Sun, SCR71/BP/VHO/HP9 SUN CELESTE
PURETAN FR73 SPECTRALARIUM R+	SR73 Absolute Sun 6.5
PURETAN FR73 SPECTRALARIUM VHO/R+	SR73 VHO Absolute Sun, SR73/VHO/ABS/6.5 SS73HO/PANTHER 9.5, SS73HO/PHOENIX EXTREME 9.5
PURETAN SX F73	SC73HO/9.5 SUN CELESTE®, SC73HO/PHEONIX EXTREME SUN CELESTE®
RADIANCE 7000 F59	SC59/BP/9.5 SUN CELESTE®, SC59/BP/PHOENIX® EXTREME SUN CELESTE
RADIANCE F59-T12BP-7000	SS59 X7500, SS59BP/X8500, SS59BP/Phoenix Extreme 9.5 SS59BP/PANTHER 9.5, SS59BP/PHOENIX 8.9 OR SC59BP/7.5, SC59BP/8.5, SC59BP/9.5, SC59BP/PHOENIX EXTREME
RADIANCE F71-T12BP-7000	SS71BP/X7500, SS71BP/X8500, SS71BP/ Phoenix Extreme 9.5 SS71BP/ PANTHER 9.5, SS71BP/PHOENIX 8.9, OR SC71BP/7.5, SC71BP/8.5, SC71BP/9.5, OR SC71BP/ PHOENIX EXTREME
RADIANCE F73T12-HO-7000	SS73HO/X7500, SS73HO/X8500, SS73HO/PHOENIX 8.9 OR SC73HO/7.5, SC73HO/8.5, OR SC73HO/PHOENIX EXTREME
RAVE 80 R F59T12/HO	SR59/BP/HO/DAYSTAR OR SCR59BP/HO/HP9
RAVE 10071; FR71T12/HO	SR71BP/HO/DAYSTAR OR SCR71BP/HO/HP9
RAVE 140W FR59T12/VHO	SR59BP/VHO/ABS OR SCR59BP/VHO/HP9
RAVE 160W FR71T12/VHO	SR71BP/VHO/ABS OR SCR71BP/VHO/HP9
ROYAL SUN = F71/ 5000; 100W BY ROYAL SUN	SC71BP/HO/6.5 OR SS71BP/X6500 OR SP/ F71T12BP/6.5/ P
SOLTRON TURBO POWER VHP 8, 180 WATT	SR79BP/VHO/ABS OR SCR79BP/VHO/HP9
SUN INDUSTRIES SUN LITE F72/ST350/SM/85/100W	SS72HO 2.6
SUNBRONZE F59-T12-BL-BP 85	SS59BP/X8500 OR SC59BP/8.5, S59/BP/PHOENIX
SUNBRONZE F59-T12-BL-BP-65	SS59BP/X6500 OR SC59BP/6.5 OR SP/F59T12BP/6.5/P
SUNBRONZE F59-T12-BL-BP-75	SS59BP/X7500 OR SC71BP/7.5
SUNBRONZE F59-T12-BL-VHO/65	SC59/BP/VHO/6.5
SUNBRONZE F71-T12-BL-BP 44	SS71BP/4.4 OR SS71BP/5.5 OR SP/F71T12BP/5.5/P
SUNBRONZE F71-T12-BL-BP 65	SS71BP/X6500 OR SC71BP/6.5 OR SP/F71T12BP/6.5/P
SUNBRONZE F71-T12-BL-BP 75	SS71BP/X7500 OR SC71BP/7.5
SUNBRONZE F71-T12-BL-BP 85	SS71 X8500 OR SS71 PHOENIX OR SC71BP/8.5
SUNBRONZE F71-T12-BL-HO 65	SS72HO/X6500 OR SC72HO/6.5
SUNBRONZE F71-T12-BL-VHO 65	SS71BP/VHO/X6500, F72T12-C20-170W X-CALIBUR
SUNBRONZE F72-T12-BL-HO 65	SS72/HO/X6500
SUNBRONZE F72-T12-BL-HO 75	SS72HO/X7500 OR SC72HO/7.5
SUNBRONZE F72-T12-BL-HO 85	SS72HO/X8500 OR SS72HO/PHOENIX OR SC72HO/8.5
SUNBRONZE F72-T12-BL-VHO 65	SS72 VHO X6500, SC72VHO/6.5, F72T12-C20-170W X-CALIBUR
SUNBRONZE F73-T12-BL VHO 65	SS73 VHO X6500 OR SC73VHO/6.5
SUNBRONZE F73-T12-BL-HO 65	SS73HO/X6500 OR SC73HO/6.5
SUNBRONZE F73-T12-BL-HO 75	SS73HO/X7500 OR SC73HO/7.5
SUNBRONZE F73-T12-BL-HO 85	SS73HO/X8500 OR SC73VHO/8.5



Original Tanning Lamp

Compatible Interlectric Lamp

All of our lamps comply with the federal performance standard CFR1040.20 as a registered compatible for most major brands, and we are compliant to ISO/IEC Guide 22 for Sun Tanning lamps. The CE symbol can be provided on all of our tanning lamps, to meet the European standard requirement for testing.

SUNBRONZE F73-T12-BL-VHO 85	SS73 VHO X8500 OR SC73VHO/8.5
SUNBRONZE ULTRAPLUS F73T12-BL-VHO/85	SS73VHO/X6500, SC73/VHO/6.5
SUNFIT RS-RUVA-S HIGHPOWER 100W	SR71BP/ PLUS
SUNFIT X 80W PROFESSIONAL	SS59/BP 3.5 SUPER SUN®, SC59/BP/5.0 SUN CELESTE
SUNFIT X 100W PROFESSIONAL	SS71/BP/X5000 OR SS71/BP/3.5 OR SC71BP/5.0
SUNFIT RX 100W PROFESSIONAL	SR71BP-GEM-R
SUNFIT RX 80W	SR59BP-GEM-R
SUNFIT PROFESSIONAL VRX 160W AND 140W	SR59/71/VHO/DAYSTAR 35 ABS
SUNFIT PROFESSIONAL VX 160W	SS71BP/VHO/2.6
SUNFIT S SUPER -12 HIGHPOWER 100W	SS71BP/ A-RAY
SUNFIT PROFESSIONAL XXL-180W	SR79BP/VHO/ABS/180W
SUPRATAN: 100W REFLEX: D2 MADE IN HOLLAND	SR71BP/HO/ABS 4.5
SUPRATAN: 80W REFLEX: MADE IN HOLLAND	SR59BP/HO/ABS 4.5, SCR59/BP/HO/HP9 SUN CELESTE
SUPRATAN: 100W REFLEX: D2 MADE IN HOLLAND	SR71BP/HO/DAYSTAR
SUPRATAN: 80W REFLEX: MADE IN HOLLAND	SR59BP/HO/DAYSTAR
SUPRATAN: 160W REFLEX: D2 MADE IN HOLLAND	SR71BP/VHO/ABS/160W, SR71/BP/VHO/PHOENIX®, SCR71/BP/VHO/HP9 SUN CELESTE
SUPRATAN: 140W REFLEX: D2 MADE IN HOLLAND	SR59BP/VHO/ABS OR SR59BP/VHO/PANTHER ABS, SR59BP/VHO/ABS 6.5, SR59/BP/VHO/PANTHER® ABS, SCR59/BP/VHO/9.5 SUN CELESTE®, SCR59/BP/VHO/PHOENIX EXTREME SUN CELESTE, SCR59/BP/VHO/HP9 SUN CELESTE
SUPRATAN: 160W REFLEX: D2 MADE IN HOLLAND	SR71BP/VHO/ABS 6.5 OR SR71BP/VHO/PANTHER ABS, SCR71/BP/VHO/PHOENIX® EXTREME SUN CELESTE
TRU TAN F73 VHO	SS73 VHO X6500 OR SC72VHO/6.5
TAN AMERICA VIP PREMIER FR59/VHOR/RDC; PART 36852	SCR59BP/VHO/HP9/140W, SR59/BP/VHO/DAYSTAR 35 ABS, SR59/VHO/ABS
TAN AMERICA VIP GOLD FR59/VHOZXR	SR/VHO/6.5/W RDC CAPS
TAN AMERICA VIP GOLD FR71/VHO-ZXR, PART 36754	SR71/BP/VHO/ABS 6.5
TAN AMERICA VIP PREMIER FR71/HOR/BP, PART 36849	SR71/BP/HO/DAYSTAR ABS, SR71/BP/HO/ABS 4.5
TAN AMERICA VIP GOLD FR71/HO-ZXR/BP, PART 36751	SR71BP/HO/ABS/6.5/100W
TAN AMERICA VIP GOLD F73/8.5/HO/RDC, PART 46148	SS73HO/X8500 OR SC73HO/8.5/100W
TAN AMERICA VIP PREMIER FR73/HOR/RDC; PART 36851	SR73HO/DAYSTAR/ABS/100W, SCR73/HO/HP9 Sun Celeste
TAN AMERICA VIP PREMIER FR71/VHOR/RDC; PART 36853	SR71BP/VHO/ABS/160W OR SCR71BP/VHO/HP9/160W
TAN AMERICA 15 VIP PWR SERIES FR71/VHO/RDC; PART 46715 160/200W	SCR71BP/VHO/HP9/160W
TAN AMERICA 15 VIP PWR SERIES FR73/VHO/RDC; PART 46716 160/200W	SCR73VHO/HP9/160W
TAN AMERICA VIP PWR SERIES 20 FR73/HO/RDC, Part 46710	SCR73/HO/HP9 Sun Celeste
TAN AMERICA VIP PREMIER FR73/VHOR/RFC; PART 36850, 160/200W	SR73VHO/DAYSTAR 35/ABS
VIP GOLD FR73/VHO/ZXR	SR73VHO/ABS/6.5/160W OR SCR73VHO/HP9/160W
VOLTARC EURO BRONZE MAGNIFIER 70+ F71T12-BP+	SS71 4.4 OR SS71 5.5 OR SP/F71T12BP/5.5/P
VOLTARC EURO BRONZE MAGNIFIER 70+ F73T12/HO+	SS73HO/5.5 OR SP/F73T12HO/5.5/P
VOLTARC F59-T12-BL-BP-42	SS59 4.4 OR SS59 5.5 OR SP/F59T12BP/5.5/P
VOLTARC F71-T12-BL-BP-26	SS71BP/ 2.6
VOLTARC F71-T12-BL-BP-42 PINK BP	SS71BP/ 4.4 OR SS71BP/ 5.5 OR SP/F71T12BP/5.5/P
VOLTARC F72T12-BL42 PINK-HO	SS72HO/4.4 OR SS72HO/ 5.5
VOLTARC F72-T12-BL-HO-2.6	SS72HO/ 2.6
VOLTARC F72-T12-VHO-42	SS72 VHO II
VOLTARC F73-T12-BL-H0/5.0	SS73HO/X6500 OR SS73 5.5 OR SC73HO/6.5, SP/F73T12HO/5.5/P
VOLTARC GENESIS 105W Plus F71T12-BP-105W	SS71BP/ 4.4 OR SS71BP/ 5.5 or SP/F71T12BP/5.5/P
VOLTARC GENESIS 105W Plus F73T12-HO-105W	SS73HO/5.5 OR SS73HO/X6500 OR SC73HO/6.5, SP/F73T12HO/5.5/P OR SP/F73T12HO/6.5/P
VOLTARC GENESIS FR71T12 VHO 170 WRS-E	SR71/BP/VHO/ABS OR SR71BP/VHO/ABS 6.5
VOLTARC GENESIS F72T12-SHO-200W	F72T12-XC20-200W 6.0 X-CALIBUR
VOLTARC GENESIS F72VHO-170W	F72T12-C20-170W 6.5 X-CALIBUR, SS72/VHO/X6500, SC72/VHO/6.5
VOLTARC GENESIS F73T12-HP-120W	SS73 MAX 6500 120 W OR SC73HO/6.5/120W
VOLTARC GENESIS FR72T12-SHR-200W	FR72T12-XCR-20-200W 7.5 X-CALIBUR
VOLTARC GENESIS FR72T12-SHRX-200W	FR72T12-XCR10-200W 9.0 X-CALIBUR
VOLTARC GENESIS FR72VHO-170W RS	FR72T12-CR10- 170W 8.5 X-CALIBUR



Original Tanning Lamp

Compatible Interlectric Lamp

All of our lamps comply with the federal performance standard CFR1040.20 as a registered compatible for most major brands, and we are compliant to ISO/IEC Guide 22 for Sun Tanning lamps. The CE symbol can be provided on all of our tanning lamps, to meet the European standard requirement for testing.

VOLTARC GENESIS FR72VHO-170W RX	FR72T12-CR20-170W 7.0 X-CALIBUR
VOLTARC GENESIS 200SHRX/VHO; FR79T12BP-200W-SHRX	SR79BP/VHO/ABS OR SCR79BP/VHO/HP9
VOLTARC SOLAR SERIES 1, F72T12-BL-VHO-42	SS72 VHO PARAGON
VOLTARC SOLAR SERIES 1, F73T12-BL-HO-50	SS73HO/5.5 OR SP/F73T12HO/5.5/P OR SP/F73T12HO/6.5/P, SS73/X6500, SC73/HO/6.5
VOLTARC SUNDASH HRF P/N 26934	SA18T8 AMAX
VOLTARC XTRALIFE, F72/COSMETTA THREE/VHO	SS72 VHO PARAGON
VOLTARC = 5000 Dual F71BP-100W Non-Reflector by ESB Enterprises BY VOLTARC	SC71BP/HO/6.5, S71BP/X6500, SUNDANCE PINK F7T12BP/6.5/P
WOLFF ACCELERATOR ACC 59T12-80W	SS59BP/X5000 OR SS59 BP SERIES II OR SC59BP/5.0
WOLFF ACCELERATOR ACC 71T12-100W	SS71BP/X5000 OR SS71 BP SERIES II OR SC71BP/5.0
WOLFF ACCELERATOR ACC 73T12 - 100W	SS73HO/X5000 OR SS73 SERIES II OR SC73HO/5.0
WOLFF ACCELERATOR VS-R VAC 75-T12-160W VS-R	SR71/BP/VHO/DAYSTAR 35N ABS
WOLFF BELLARIUM +SA2-10-100W RDC	SS73 Series II OR SS73 X5000 OR SC73HO/5.0
WOLFF BELLARIUM F73/VHO	SS73 VHO II
WOLFF BELLARIUM S SA1-10-100W	SS73, SS73 Series II OR SS73HO/X5000 OR SC73HO/5.0 OR SP/F73T12HO/5.5/P
WOLFF BELLARIUM S SA1-59-80W	SS59 Series II OR SS59 X5000 OR SC59BP/5.0
WOLFF BELLARIUM S SA1-71-100W	SS71 Series II OR SS71BP/X5000 OR SC71BP/5.0
WOLFF BELLARIUM S VH1-10-160W	SS73 VHO PARAGON +
WOLFF BELLARIUM SR-RA1-12-160W	SR71 VHO Absolute Sun
WOLFF BELLARIUM VHO VH2-10-160W	SS72 VHO PARAGON
WOLFF CRYSTAL SUN S DA1-59-80W BI-PIN	SS59 2.6, SC59/BP/5.0 SUN CELESTE
WOLFF CRYSTAL SUN S DA1-763-100W BI-PIN	SS71BP/ X5000, SS71BP/ Series II, SS71BP/ 2.6, SS71BP/ 3.5 OR SC71BP/5.0
WOLFF CRYSTAL SUN S; DA1-766-100W	SS72/HO/X5000, SC72/HO/5.0
WOLFF CRYSTAL SUN S F72T12 DA1-766-100W RDC	SS72HO/ 3.5
WOLFF DIAMOND SUN DSS71-T12-100W PREHEAT BP	SS71BP/ 3.2
WOLFF DIAMOND SUN S DS59-T12-80W	SS59BP/Series II OR SS59BP/X5000 OR SS59BP/5.5 OR SC59BP/5.0, SS59BP/3.2
WOLFF DIAMOND SUN S DSS71-T12-100W	SS71BP/X5000 OR SS71BP/Series II OR SS71BP/ 5.5 OR SC71BP/5.0 OR SP/F71T12BP/5.5/P
WOLFF DIAMOND SUN S DSS72-T12-100W	SS72HO/ 3.5, SS72/HO/X5000, SC72/HO/5.0 SUN CELESTE
WOLFF DIAMOND SUN S DSS73-T12-100W	SS73HO/5.5 OR SS73HO/X6500 OR SC73HO/6.5 SP/ F73T12HO/5.5/P OR SP/F73T12HO/6.5/P
WOLFF SYSTEM EVERGLO 59"/80W	SP/F59T12BP/5.5/P, SS59/BP SUPER SUN®, SS59/BP 4.4 SUPER SUN®
WOLFF EVERGLO 71" 100W	SS71BP/ 4.4 OR SS71BP/5.5 OR SS71BP SERIES II OR SP/ F71T12BP/5.5/P
WOLFF EVERGLO 73" 100W	SS73HO/5.5 OR SP/F73T12HO/5.5/P
WOLFF NUVALARIUM	SS73 N
WOLFF SPEED 175-SPD71-T12-175	SS71BP/X5000 OR SS71 SERIES II OR SC71BP/5.0
WOLFF SPEED 205- SPD71-T12-205	SS71BP/X5000 OR SS71 SERIES II OR SC71BP/5.0 SP/ F71T12BP/5.5/P
WOLFF SPEED 215 SPD71-T12-215	SS71 4.4 OR SS71BP 5.5 OR SP/F71T12BP/5.5/P
WOLFF SPEED 225R- SPD71-T12-225R	SR71 Absolute Sun 4.5
WOLFF SPEED 255R- SPD-71T12-255R	SR71 Absolute Sun 4.5
WOLFF SPEED 275R SPD71-T12-275R	SR71 Absolute Sun 5.0, SR71/BP/HO/ABS 6.5
WOLFF SPEED 315VS-R SPD75-T12-315VS-R	SR71 VHO Absolute Sun, SCR71/BP/VHO/HP9 SUN CELESTE
WOLFF SPEED 325VS-R SPD75-T12-325VS-R	SR71 VHO Absolute Sun, SCT71/BP/VHO/HP9 SUN CELESTE
WOLFF SYSTEM BODY SCAN X PLUS, F73/100W RDC	SS73HO/X5000, SS73HO/SERIES II OR SC73HO/5.0
WOLFF SYSTEM BODY SCAN X PLUS, F71/100W BIPIN, PREHEAT	SS71BP/X5000, SS71BP SERIES II OR SC71BP/HO/5.0
WOLFF SYSTEM BODY SCAN X PLUS, F59/100W BIPIN, PREHEAT	SS59BP/X5000, SS59BP SERIES II OR SC59BP/HO/5.0
WOLFF SYSTEM BODY SCAN X-R PLUS; R-100W BIPIN, PREHEAT	SR71BP/HO/ABS/4.5
WOLFF SYSTEM BODY SCAN XXR FR71R/160W BIPIN: PREHEAT	SR71BP/VHO/ABS/160W OR SCR71BP/VHO/HP9/160W SUN CELESTE
WOLFF SYSTEM BRONZING SUN BS59-T12-140W-VS-R	SR59BP/VHO/ABS/140W, SCR59/BP/VHO/HP9 Sun Celeste
WOLFF SYSTEM BRONZING SUN BS71-T12-160W-VS-R	SR71BP/VHO/ABS/160W, SCR71/BP/VHO/HP9 SUN CELESTE
WOLFF SYSTEM BRONZING SUN PLUS BS71-T12-100WR	SR71BP/HO/ABS/4.5
WOLFF SYSTEM BRONZING SUN MAG. BSM71-T12-100WR	SR71BP/HO/ABS/5.0 OR SR71BP/HO/ABS/4.5
WOLFF SYSTEM DOMINION 71"/100W	SS71BP/X6500 OR SC71BP/6.5 OR SP/F71T12BP/6.5/P
WOLFF SYSTEM DOMINION 73"/100W	SS73 X6500, SC73HO/6.5 , SP/F73T12HO/6.5/P



Original Tanning Lamp

Compatible Interlectric Lamp

All of our lamps comply with the federal performance standard CFR1040.20 as a registered compatible for most major brands, and we are compliant to ISO/IEC Guide 22 for Sun Tanning lamps. The CE symbol can be provided on all of our tanning lamps, to meet the European standard requirement for testing.

WOLFF SYSTEM SOLARIUM XLR / 160W	SR71BP/VHO/DAYSTAR 35 / 160W
WOLFF SYSTEM SOLARIUM VHO 73"/160/RDC	SS73VHO/X6500, SC73/VHO/6.5
WOLFF SYSTEM VELOCITY EXTREME VE71-T12-100W-BI-PIN	SS71BP/ 5.5 OR SP/F71T12BP/5.5/P
WOLFF SYSTEM VELOCITY PLUS VLP71-T12-100W-BP	SS71BP/ 4.4
WOLFF SYSTEM VELOCITY PLUS VLP71-T12-100W-BP	SS71BP/ 5.5 OR SP/F71T12BP/5.5/P
WOLFF SYSTEM VELOCITY PLUS VLP71-T12-100/120W-BP	SS71/BP/5.5 Super Sun, F71T12/BP/5.5P Sundance
WOLFF SYSTEM VELOCITY PLUS VLP73-T12-100W-RDC	SS73HO/5.5 OR SP/F73T12HO/5.5/P
WOLFF VELOCITY VEL 59T12-80W	SS59BP/X5000 OR SS59 Series II OR SC59BP/5.0
WOLFF VELOCITY VEL F71T12 – 100W	SS71BP/X5000 OR SS71 Series II OR SC71BP/5.0
WOLFF VELOCITY VEL F73T12-100W HO RDC	SS73HO/X5000 OR SS73 Series II OR SC73HO/5.0
WOLFF SYSTEM VELOCITY VS-R VEL75T12-160W PREHEAT BI-PIN	SR71/BP/VHO/ABS 6.5
WOLFF SYSTEM VELOCITY SELECT VS71T12-100W BI-PIN	SS71/BP/5.5 Super Sun, F71T12/BP/5.5P Sundance
WOLFF SYSTEM VELOCITY SELECT PLUS VSP71-T12-100W BI-PIN	SS71/BP/X7500 Super Sun, SC71/BP/7.5 Sun Celeste
WOLFF SYSTEM VELOCITY HI WATT VLHW73-T12-120W RDC	SS73 Super Sun, F73T12/HO/5.5P Sundance

In addition to our compatibility with over 250 lamps, Interlectric's Engineering Department provides you with the opportunity to develop new products. Our engineers will work directly with you to generate specifications and products in almost any quantity.

